


CORE MPO 2035 Travel Demand Model



Projected Traffic Volumes


■	3,750 Vehicles Per Day
■	7,500 Vehicles Per Day
■	15,000 Vehicles Per Day
■	30,000 Vehicles Per Day

Level of Service Analysis

■	Level of Service A-C
■	Level of Service D
■	Level of Service E
■	Level of Service F

2035 Plan System

CORE MPO 2035 Travel Demand Model



Projected Traffic Volumes


■	3,750 Vehicles Per Day
■	7,500 Vehicles Per Day
■	15,000 Vehicles Per Day
■	30,000 Vehicles Per Day

Level of Service Analysis

■	Level of Service A-C
■	Level of Service D
■	Level of Service E
■	Level of Service F

I-16 Terminus Concept One

CORE MPO 2035 Travel Demand Model



Projected Traffic Volumes


- 3,750 Vehicles Per Day
- 7,500 Vehicles Per Day
- 15,000 Vehicles Per Day
- 30,000 Vehicles Per Day

Level of Service Analysis

- Level of Service A-C
- Level of Service D
- Level of Service E
- Level of Service F

I-16 Terminus Concept Two

CORE MPO 2035 Travel Demand Model



Projected Traffic Volumes

- 3,750 Vehicles Per Day
- 7,500 Vehicles Per Day
- 15,000 Vehicles Per Day
- 30,000 Vehicles Per Day

Level of Service Analysis

- Level of Service A-C
- Level of Service D
- Level of Service E
- Level of Service F

I-16 Terminus Concept Three