

JCB Roofing II Inc.

31 Fort Argyle Lane

Savannah, GA 31419

Phone: (912) 920-4364

www.jcb-roofing.com



PROPOSAL SUBMITTED TO			PHONE	DATE
Virgil Scott			(404) 731-0483	02/19/2026
ADDRESS			JOB NAME	
309 West Henry Street			2602-8248859-01	
CITY	STATE	ZIP	JOB LOCATION	
Savannah	Georgia	31401	309 West Henry Street	

At your request, we submit the following :**Exterior Work****STANDING SEAM METAL ROOFING SYSTEM:**

- To provide all permits as needed to perform all roofing work.
- To provide all safety equipment and manpower to complete the project in a timely manner.
- To provide protection for exterior of home and all other structure, landscaping and ac units.
- To remove existing roof system and all existing drip edge and expose all decking and dispose of in our dump trailer provided by Jcb Roofing..
- To inspect the roof decking and replace any damage roof decking up to 3 sheets included. \$75.00 per sheet after 3 if needed. Will provide photos for customer.
- To install high temp synthetic breathable underlayment to roof surface.
- To install high temp ice and water shield to all valleys, chimneys, domers and all flashing points
- To furnish and install standing seam metal roof per manufactures specification with stainless clips and hidden fasteners.
- To furnish and install all flashings, terminations, pipe boots and all other accessories per manufactures specifications.
- To clean job site of all loose debris and dispose of in dump trailer provided by Jcb Roofing.
- To run magnets and sweep all flower beds, drive ways, porches, lawn etc.
- Please note Jcb Roofing is not responsible for any damages to un-foreseen water lines, electrical lines or air condition lines or pipes in the attic that are attached to close to the back of the roof deck.
- Jcb Roofing is not responsible for satellite dishes or maintaining signal through out roofing installation. Customer will have to have dish re signaled.
- There is a 2% service charge to pay by credit card.
- To provide metal manufactures material warranty and Jcb Roofing 5 year workmanship warranty.


We propose hereby to finish material and labour complete in accordance with above specification for the sum of:

TOTAL FOR METAL ROOF SYSTEM:*\$11,980.00****BALANCE DUE UPON COMPLETION OF WORK**

A charge of 2% per month(24% per annum) will be made on past due balance -- \$5.00 minimum service charge

All material is guaranteed to be as specified. All work to be completed in a workman like manner according to standard

Signature :



Roof ONLY



SENTRIGARD

METAL SYSTEMS


SNAP LOCK

ARCHITECTURAL STANDING SEAM ROOFING SYSTEM



SL100 1" SNAP LOCK PANEL

- > Low profile architectural standing seam system
- > Ideal for residential applications



PANEL PERFORMANCE

Material	Panel Configuration	HVHZ (psf)	Non-HVHZ (psf)
24ga Steel	17in wide panel (max) - 15/32" plywood - #12x1" pancake head fastener - 3.5" standard clip (fixed) 180d Seam	FBC 42672.10	
		- 24" OC: -67.3psf - 6" OC: -131psf	

FEATURES:

- > Ideal for residential and light commercial applications
- > Tested panel for rated assemblies achieves higher performance levels
- > 35 year finish warranty on Kynar 500 finish
- > Underlayment and solid substrate required
- > Panel width from 12"-17" Nominal Width please consult for other availabilities
- > Minimum Slope – 3":12"

MATERIALS:

- > 24 and 26 gauge* Galvalume®
- > .032" aluminum

TESTING:

Sentrigard™ panel assemblies have passed extensive testing to ensure optimal performance in a wide range of conditions. This includes the rigorous High Velocity Hurricane Zone (HVHZ) performance criteria that tests for both wind uplift and air and water infiltration.

TEST REPORT SUMMARY:

- > Miami Dade Building Code Compliance Approved
- > Florida Building Code 2023
- > Testing per TAS 125-03 Std. Requirements for Metal Roof Systems
- > Testing per TAS 100 Wind Driven Rain Test
- > Test Assembly #6 by Underwriters Laboratory for:
 - > a) UL 580-94, per FBC, Uplift Resistance of Roof Assemblies
 - > b) UL 1897-98, per FBC, Uplift Tests for Roof Covering Systems
- > Class 4 Impact: UL2218
- > Class A fire: E108





SENTRICLAD FULL ARCHITECTURAL COLOR PALETTE

CORE COLORS

Regal White □ SR: .70 IE: .85 SRI: 85	Bone White □ SR: .68 IE: .86 SRI: 82	Stone White Δ SR: .62 IE: .85 SRI: 73	Almonda Δ SR: .63 IE: .86 SRI: 75	Sandstone Δ SR: .47 IE: .86 SRI: 53	Sierra Tan SR: .30 IE: .85 SRI: 30
Medium Bronze SR: .26 IE: .84 SRI: 24	Mansard Brown SR: .29 IE: .86 SRI: 29	Dark Bronze SR: .26 IE: .84 SRI: 25	Extra Dark Bronze - SR: .05 IE: .89 SRI: -1	Patina Green SR: .25 IE: .87 SRI: 24	Classic Green SR: .25 IE: .86 SRI: 24
Hartford Green ** SR: .10 IE: .86 SRI: 4	Teal ** SR: .28 IE: .87 SRI: 28	Military Blue ** SR: .31 IE: .87 SRI: 32	Slate Blue SR: .27 IE: .86 SRI: 26	Regal Blue ** SR: .30 IE: .86 SRI: 30	Terra Cotta SR: .39 IE: .85 SRI: 42
Banner Red ** SR: .44 IE: .86 SRI: 49	Colonial Red SR: .31 IE: .87 SRI: 31	Brandywine ** SR: .27 IE: .87 SRI: 27	Dove Gray SR: .49 IE: .87 SRI: 56	Slate Gray Δ SR: .37 IE: .86 SRI: 39	Charcoal SR: .08 IE: .90 SRI: 33
Matte Black SR: .26 IE: .86 SRI: 85	Silversmith Δ S15** ✱ SR: .48 IE: .80 SRI: 52	Champagne S20** ✱ SR: .37 IE: .83 SRI: 38	Pewter S11** ✱ SR: .36 IE: .85 SRI: 38	Bright Copper Δ S25** ✱ SR: .41 IE: .85 SRI: 44	Bright Silver Δ S66** ✱ SR: .55 IE: .77 SRI: 61
	✱ Featuring a pearlescent mica finish; subject to premium pricing. Colors shown are as close to actual colors as allowed by the printing process. Actual metal samples are available. Colors may appear different when viewed at different angles and under different lighting conditions. Due to product improvements, changes and other factors, we reserve the right to change or delete information herein without prior notice. Acrylic Coated Galvalume also available (not pictured).				
Aged Copper Metallic ** ✱ SR: .25 IE: .85 SRI: 23					

26G LOW GLOSS COLORS

Sierra Tan SR: .46 IE: .87 SRI: 52	Slate Gray SR: .37 IE: .86 SRI: 39	Medium Bronze SR: .31 IE: .87 SRI: 32	Dark Bronze SR: .28 IE: .86 SRI: 27	Colonial Red SR: .31 IE: .87 SRI: 31	Regal White □ SR: .70 IE: .85 SRI: 85
Dove Gray SR: .49 IE: .87 SRI: 56	Classic Green SR: .31 IE: .87 SRI: 32	Hartford Green ** SR: .46 IE: .87 SRI: 32	Slate Blue SR: .30 IE: .87 SRI: 31	Matte Black SR: .26 IE: .86 SRI: 25	Mansard Brown SR: .29 IE: .86 SRI: 29
Bone White □ SR: .68 IE: .86 SRI: 82	Terra Cotta SR: .39 IE: .85 SRI: 42	Charcoal SR: .30 IE: .87 SRI: 31	Bright Silver ** SR: .55 IE: .77 SRI: 61	Bright Copper ** SR: .41 IE: .85 SRI: 44	

SR = Solar Reflectivity IE = Initial Emissivity SRI = Solar Reflective Index
** DENOTES EXOTIC COLORS AND ARE SUBJECT TO PREMIUM PRICING

Please check website for most up to date SR, IE, and SRI Values

□ LEED® compliant for low slope and steep slope
Δ LEED® compliant for steep slope only
PVDF - 70% polyvinylidene fluoride resin paint system

877-495-7663
www.sentriclad.com